

**SAFETY DATA SHEET****HAND SANITIZING**

JiangSu Ouyali Cosmetic Co., Ltd.

- According to GHS (Seventh Revised Edition)

**SDS****Section 1 Product and Company Identification****> Product Identifier**

**Product Name** HAND SANITIZING  
**Synonyms** -

**> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against**

**Relevant Identified Uses** HAND SANITIZING.  
**Uses Advised Against** Please consult manufacturer.

**> Details of the Supplier of the Safety Data Sheet**

**Applicant Name** JiangSu Ouyali Cosmetic Co., Ltd.  
**Application Address** No.9-9, Chuangye Road, Shatou Town, Guangling District, Yangzhou City  
**Applicant Post Code** —  
**Applicant Telephone** +86-514-80922275  
**Applicant Fax** —  
**Applicant E-mail** —  
**Supplier Name** JiangSu Ouyali Cosmetic Co., Ltd.  
**Supplier Address** No.9-9, Chuangye Road, Shatou Town, Guangling District, Yangzhou City  
**Supplier Post Code** —  
**Supplier Telephone** +86-514-80922275  
**Supplier Fax** —  
**Supplier E-mail** —

**> Emergency Phone Number**

**Emergency Phone Number** +86-514-80922306

**Section 2 Hazards Identification**

Hazard class and label elements of the product according to GHS (the seventh revised edition):

**> GHS Hazard Class**

**Flammable Liquids** Category 2

**> GHS Label Elements**

## Pictogram



## Signal Word

**Danger**

## &gt; Hazard Statements

H225

Highly flammable liquid and vapour

## &gt; Precautionary Statements

## Prevention

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233

Keep container tightly closed.

P240

Ground and bond container and receiving equipment.

P241

Use explosion-proof [electrical/ventilating/lighting] equipment.

P242

Use non-sparking tools.

P243

Take action to prevent static discharges.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

## Response

P370+P378

In case of fire: Use dry chemical, carbon dioxide or alcohol-resistant foam to extinguish.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

## Storage

P403+P235

Store in a well-ventilated place. Keep cool.

## Disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.
Ethanol(Alcohol)	74	64-17-5	200-578-6
Aqua(Water)	22.8	7732-18-5	231-791-2
Glycerin	2	56-81-5	200-289-5
Fragrance(Parfum)	0.3	-	-
PEG-40 Hydrogenated Castor Oil	0.9	61788-85-0	500-147-5

## Section 4 First Aid Measures

## &gt; Description of First Aid Measures

## General Advice

Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

## Eye Contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.

## Skin Contact

Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.

## Ingestion

Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

**Inhalation**

Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.

**Protecting of First-aiders**

Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

**> Most Important Symptoms and Effects, both Acute and Delayed**

- 1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

**> Indication of Any Immediate Medical Attention and Special Treatment Needed**

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

## Section 5 Fire Fighting Measures

**> Extinguishing Media****Suitable Extinguishing Media**

Dry chemical, carbon dioxide or alcohol-resistant foam.

**Unsuitable Extinguishing Media**

Do not use a solid water stream as it may scatter or spread fire.

**> Specific Hazards Arising from the Substance or Mixture**

- 1 Will form explosive mixtures with air.
- 2 Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/ or vapour concentration.
- 3 Vapours may travel to source of ignition and flash back.
- 4 Liquid and vapour are flammable.
- 5 Containers may explode when heated.
- 6 Fire exposed containers may vent contents through pressure relief valves.
- 7 May expansion or decompose explosively when heated or involved in fire.

**> Advice for Firefighters**

- 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

## Section 6 Accidental Release Measure

**> Personal Precautions, Protective Equipment and Emergency Procedures**

- 1 Avoid breathing vapors and contacting with skin and eye.
- 2 Beware of vapours accumulating to form explosive concentrations.
- 3 Vapours can accumulate in low areas.
- 4 Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
- 5 Ensure adequate ventilation. Remove all sources of ignition.
- 6 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 7 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

**> Environmental Precautions**

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

**> Methods and Materials for Containment and Cleaning Up**

- 1 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## Section 7 Handling and Storage

**> Precautions for Handling**

- 1 Avoid inhalation of vapors.
- 2 Use only non-sparking tools.
- 3 To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
- 4 Use explosion proof equipment.
- 5 Handling is performed in a well ventilated place.
- 6 Wear suitable protective equipment.
- 7 Avoid contact with skin and eyes.
- 8 Keep away from heat/sparks/open flames/ hot surfaces.
- 9 Take precautionary measures against static discharges.

**> Precautions for Storage**

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

## Section 8 Exposure Controls/Personal Protection

**> Control Parameters****Occupational Exposure Limit Values**

Component	Country/Region	Limit Value - Eight Hours		Limit Value - Short Term	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Ethanol(Alcohol) 64-17-5	USA - OSHA	1000	1900	-	-
	South Korea	1000	1900	-	-
	Ireland	-	-	1000	-
	Germany (AGS)	500	960	1000	1920
	Denmark	1000	1900	2000	3800
	Australia	1000	1880	-	-
Glycerin 56-81-5	USA - OSHA	-	15	-	-
	South Korea	-	10	-	-

	Ireland	-	10	-	-
	Germany (DFG)	-	50	-	100
	Belgium	-	10	-	-
	Australia	-	10	-	-

**Biological Limit Values**

No information available

**Monitoring Methods**

- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

**> Engineering Controls**

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

**> Personal Protection Equipment**

- Eye Protection** Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).
- Hand Protection** Wear protective gloves (such as butyl rubber) , passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.
- Respiratory protection** If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
- Skin and Body Protection** Wear fire/flame resistant/retardant clothing and antistatic boots.

## Section 9 Physical and Chemical Properties

**Appearance:** Colorless transparent gel**Odor Threshold:** No information available**Melting Point/Freezing Point (°C):** No information available**Flash Point (°C)( Closed Cup):** 20**Flammability:** Not applicable**Vapor Pressure (KPa):** No information available**Relative Density(Water=1):** No information available**n-Octanol/Water Partition Coefficient:** No information available**Decomposition Temperature (°C):** No information available**Particle characteristics:** Not applicable**Odor:** No information available**pH:** No information available**Initial Boiling Point and Boiling Range (°C):** No information available**Evaporation Rate:** No information available**Upper/lower explosive limits[%(v/v)]:** Upper limit: No information available; Lower limit: No information available**Relative Vapour Density(Air = 1):** No information available**Solubility:** No information available**Auto-Ignition Temperature(°C):** No information available**Kinematic Viscosity (mm<sup>2</sup>/s):** No information available

## Section 10 Stability and Reactivity

**Reactivity**

Contact with incompatible substances can cause decomposition or other

HAND SANITIZING

**Chemical Stability** chemical reactions.  
**Possibility of Hazardous Reactions** Stable under proper operation and storage conditions. In contact with oxidants causes severe reactions, and may cause a fire or explosion. In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen.  
**Conditions to Avoid** Incompatible materials, heat, flame and spark.  
**Incompatible Materials** Oxidants, alkali metals, alkaline earth metals and aluminum. Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide.  
**Hazardous Decomposition products** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**Section 11 Toxicological Information**

> **Acute Toxicity**

Component	CAS No.	LD <sub>50</sub> (Oral)	LD <sub>50</sub> (Dermal)	LC <sub>50</sub> (Inhalation, 4h)
Ethanol(Alcohol)	64-17-5	7060mg/kg(Rat)	No information available	39mg/L(Mouse)
Glycerin	56-81-5	12600mg/kg(Rat)	> 10000mg/kg(Rabbit)	No information available

> **Skin Corrosion/Irritation**

No information available

> **Serious Eye Damage/Irritation**

No information available

> **Skin Sensitization**

No information available

> **Respiratory Sensitization**

No information available

> **Germ Cell Mutagenicity**

No information available

> **Carcinogenicity**

ID	CAS No.	Component	IARC	NTP
1	64-17-5	Ethanol(Alcohol)	Category 1	Not Listed
2	7732-18-5	Aqua(Water)	Not Listed	Not Listed
3	56-81-5	Glycerin	Not Listed	Not Listed
4	-	Fragrance(Parfum)	Not Listed	Not Listed
5	61788-85-0	PEG-40 Hydrogenated	Not Listed	Not Listed

		Castor Oil	
--	--	------------	--

> **Reproductive Toxicity**

No information available

> **Reproductive Toxicity (Additional)**

No information available

> **STOT-Single Exposure**

No information available

> **STOT-Repeated Exposure**

No information available

> **Aspiration Hazard**

No information available

**Section 12 Ecological Information**

> **Acute Aquatic Toxicity**

Component	CAS No.	Fish	Crustaceans	Algae
Ethanol(Alcohol)	64-17-5	LC <sub>50</sub> : 11000mg/L (96h)(Fish)	EC <sub>50</sub> : 9950mg/L (48h)	No information available
Glycerin	56-81-5	LC <sub>50</sub> : 68100mg/L (96h)(Fish)	No information available	No information available

> **Chronic Aquatic Toxicity**

No information available

> **Others**

**Persistence and Degradability**  
**Bioaccumulative Potential**  
**Mobility in Soil**

No information available  
 No information available  
 No information available

**Results of PBT and vPvB Assessment**

Ethanol(Alcohol) does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.  
 Aqua(Water) does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.  
 Glycerin does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.  
 PEG-40 Hydrogenated Castor Oil does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

**Section 13 Disposal Considerations**

**Waste Chemicals**

Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.

**Contaminated  
Packaging  
Disposal  
Recommendations**

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.  
Refer to section 13.1 and 13.2.

**Section 14 Transport Information****Transporting Label**

<b>Marine pollutant</b>	None
<b>UN Number</b>	1170
<b>UN Proper Shipping Name</b>	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
<b>Transport Hazard Class</b>	3
<b>Transport Subsidiary Hazard Class</b>	NONE
<b>Packing Group</b>	II

**Section 15 Regulatory Information****> International Chemical Inventory**

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Ethanol(Alcohol)	√	√	√	√	√	√	√	√	√
Aqua(Water)	√	√	√	√	√	√	√	√	×
Glycerin	√	√	√	√	√	√	√	√	√
Fragrance(Parfum)	×	×	×	×	×	×	×	×	×
PEG-40 Hydrogenated Castor Oil	√	√	√	√	√	√	√	√	√

**[EINECS]** European Inventory of Existing Commercial Chemical Substances.

**[TSCA]** United States Toxic Substances Control Act Inventory.

**[DSL]** Canadian Domestic Substances List.

**[IECSC]** China Inventory of Existing Chemical Substances.

**[NZIoC]** New Zealand Inventory of Chemicals.

**[PICCS]** Philippines Inventory of Chemicals and Chemical Substances.

**[KECI]** Existing and Evaluated Chemical Substances.

**[AICS]** Australia Inventory of Chemical Substances.

**[ENCS]** Existing And New Chemical Substances.

**Note**

"√" Indicates that the substance included in the regulations

"×" That no data or included in the regulations

**Section 16 Additional Information**

**Creation Date** 2020/03/17



---

<b>Revision Date</b>	2020/03/17
<b>Reason for Revision</b>	-

**> Disclaimer**

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 7th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user' s reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.



## Terms of the Using of the Report

1. The report is issued by DPTC according to the information of the chemicals and the information of its shipping provided by the applicant (shipper or his agent).
2. According to the demand of this SDS, DPTC requires the applicant to provide true and exact sample and data.
3. Information from applicant is the key of this Label, so the center will not respond for the wrong of applicant.
4. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
5. This report will be effective only after it is signed by the inspector, approver and stamped by DPTC.
6. Our center guarantees the objectivity and fairness of this report, and carries out confidentiality obligations on business secrets such as business information, technical documents and so on.
7. The partly duplicating of this report is prohibited without the written approver of DPTC.
8. The report is invalid when anything of the following happens-illegal transfer, embezzlement, imposture, modification or tampering in any media form.
9. The authenticity of the certificate can be checked by scanning the QR code of this certificate.

