

# SDS Report

Sample Description

Alcohol Wipes

Applicant

Imperial Palace Commodity (Dongguan) CO.,LTD

Address

No.523, 1st Liudong Road, Changlong Village,  
Huangjiang Town, Dongguan City



No.: MOIQCRUT18925716  
Code: 5qb88avam



声 明  
Statement

1. 本证明/报告的结论仅对委托方所送样品负责。  
The conclusion of the certificate/report is responsible for the provided sample only.
2. 委托方必须如实提供样品, 申报和声明资料, 并保证与实际相符, 否则由委托方承担由此导致的全部后果和责任。  
The applicant shall provide accurately and truly the description and statement of the sample, shall guarantee to match the sample and real situation which they provided and declared. Otherwise the application shall bear any relevant consequences and responsibility.
3. 如委托方提供的样品及相关资料存在虚假、伪造等情形, 所造成的全部后果和责任由委托方承担。  
In case the sample and documents provided involved in the situation of fake and forgery, any consequences and responsibility caused by this shall be undertaken by applicant.
4. 本证明/报告全部或部分复制、私自转让、盗用、冒用、涂改或以其它任何形式篡改的均属无效, 本单位将对上述行为追究其相应的法律责任。  
The certificate/report can not be copied in whole or part, the copied version is invalid. The certificate is invalid in case of illegal transfer, reproduction, embezzlement, imposture, modification or any altering. PONY shall investigate the applicant's legal liability accordingly.
5. 本证明/报告不考虑国家及经营人差异。  
The certificate/report takes no account of the differences of countries and applicants.
6. 本单位有权在完成证明/报告后处理委托方所送样品。  
PONY has the right to dispose the provided sample after approval of the certificate/report.

▲ 防伪说明:

- (1) 报告编号是唯一的;
- (2) 报告采用特制防伪纸张印制, 纸张表面带有“PONY”防伪纹路, 该防伪纹路不支持复印, 即复制件不会带有“PONY”防伪纹路;
- (3) 报告采用的防伪纸张内部亦加带有高科技“PONY”防伪水印, 只有在验钞机等紫外线照射下方可显出无色荧光防伪字样。



扫微信二维码  
关注谱尼测试

www.ponytest.com

☎ Hotline 400-819-5688

北京实验室: (010)83055000  
上海实验室: (021)64851999  
青岛实验室: (0532)88706866  
深圳实验室: (0755)26050909  
天津实验室: (022)23607888  
苏州实验室: (0512)62997900

长春实验室: (0431)85150908  
大连实验室: (0411)87336618  
哈尔滨实验室: (0451)58627755  
郑州实验室: (0371)69350670  
新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660  
西安实验室: (029)89608785  
呼和浩特实验室: (0471)3450025  
杭州实验室: (0571)85806807  
宁波实验室: (0574)87977185

武汉实验室: (027)83997127  
合肥实验室: (0551)63843474  
广州实验室: (020)89224310  
厦门实验室: (0592)5568048  
成都实验室: (028)87702708



## Safety Data Sheet

According to ST/SG/AC.10/30/Rev.8 (GHS)

### Section 1 - Chemical Product and Company Identification

#### Chemical Product Identification

Sample Description: Alcohol Wipes

Sample Model: /

Sample Photo:

Sample No.: T18925716



Authenticate the photo on original report only

Recommended Uses: Cleaning and disinfection

Restrictions on Use: N/A

Supplier Name: Imperial Palace Commodity (Dongguan) CO.,LTD

Address: No.523, 1st Liudong Road, Changlong Village, Huangjiang Town, Dongguan City

Phone Number: 15914241100

FAX: 0769-82125968

E-mail: 79743969@qq.com

Emergency Phone Number: 15914241100



## Section 2 - Hazards Identification

**Emergency overview:** Causes eye irritation.

**CAS# 64-17-5**

**Classification according to GHS**

Flammable liquids (2)

Serious eye damage/eye irritation (2B)

Carcinogenicity (1A, 1B)

Reproductive toxicity (1A, 1B)

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

Specific target organ toxicity, single exposure; Narcotic effects (3)

Specific target organ toxicity, repeated exposure (1) (liver)

Specific target organ toxicity, repeated exposure (2) (central nervous system)

**Label elements**

**Hazard pictogram(s):**



**Signal word:**

Danger

**Hazard statement(s):**

H225 Highly flammable liquid and vapour

H320 Causes eye irritation

H350 May cause cancer

H360 May damage fertility or the unborn child

H335 May cause respiratory irritation (respiratory tract irritation, narcotic effects)

H336 May cause drowsiness or dizziness (respiratory tract irritation, narcotic effects)

H372 Cause damage to organs through prolonged or repeated exposure (liver)

H373 May cause damage to organs through prolonged or repeated exposure (central nervous system)

**Precautionary statement(s):**

**Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.



Pony Testing International Group

P280 Wear protective gloves, protective clothing, eye protection, face protection.

P264 Wash skin and clothing thoroughly after handling.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe gas, mist, vapours and spray.

P270 Do not eat, drink or smoke when using this product.

#### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P370 + P378 In case of fire, use the appropriate type of fire extinguisher to extinguish the blaze.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER or doctor, if you feel unwell.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### Disposal:

P501 Send contents to approved waste treatment plants.

#### Other hazards

**Physical and chemical hazards:** See Section 10

**Human health hazards:** See Section 11

**Environmental hazards:** See Section 12

## Section 3 – Composition/Information on Ingredients

**Chemical characterization:** Mixture.

Component	CAS No.	EC#	Weight (%)
ALCOHOL	64-17-5	200-578-6	75
GLYCERIN	56-81-5	200-289-5	0.2
WATER	7732-18-5	231-791-2	24.8



## Section 4 - First Aid Measures

### Description of first aid measures

**General information** Normal use does not require special measures , industrial production in the long term , refer to the following :

#### After eye contact

Flush eyes with water.

#### After skin contact

Wash with water and soap.

#### After inhalation

Remove victim to fresh area.

#### After swallowing

Do not induce vomiting. Get medical attention.

**Personal protective equipment for first-aid responders:** No data available.

**Most important symptoms/effects, acute and delayed:** No data available.

**Indication of immediate medical attention and special treatment needed:** No data available.

## Section 5 - Fire Fighting Measures

### Suitable extinguishing media:

Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

**Unsuitable extinguishing media:** No data available.

**Specific Hazards arising from the chemical:** Fire may produce irritating and/or toxic gases.

### Specific protective actions for fire-fighters:

Move containers from fire area if this can be done without risk. Use Water spray, fog or regular foam for large fire. If fire involving Tanks or Car/Trailer Loads, cool containers with flooding quantities of water until well after fire is out. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fires. Prevent run off from fire control dilution from entering streams or drinking water supply.

## Section 6 - Accidental Release Measures



Pony Testing International Group

#### Personal precautions:

No action shall be taken involving any personal risk or without suitable training. Use proper personal protective equipment as indicated in Section 8. Keep appropriate ventilation.

#### Protective equipment:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### Emergency procedures:

CALL EMERGENCY RESPONSE Telephone Number on Shipping Paper first. If Shipping Paper not available or on answer, refer to appropriate telephone number listed on the inside back cover. As an immediate precautionary measure, isolate spill or leak area for at least 25m in all directions. Keep unauthorized personnel away. Stay upwind and keep out of low areas. Review Section 5 and Section 7 sections before proceeding with clean-up.

#### Environmental precautions:

Avoid dispersal of spilled material and runoff and contact with soil, water ways, drains and sewers.

#### Methods and materials for containment and cleaning up:

For all waste handling must refer to United Nations, National and Local Regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## Section 7 - Handling and Storage

#### Precautions for safe handling:

Ensure good local exhaust ventilation. Handle and open container with care. Keep away from incompatible substances (see section 10), any sources of ignition or heat (e.g. open flames, hot surfaces), foodstuffs, beverages and foods. Avoid contact with eyes and skin. The work area should be equipped with the corresponding species and quantity of fire-fighting equipments and emergency equipments.

#### Conditions for safe storage, including any incompatibilities:

Fireproof. Separated from strong oxidants. Moisture absorption. Keep container tightly sealed.

## Section 8 - Exposure Controls/Personal Protection

#### Control parameters



CAS No.	ACGIH	NIOSH	OSHA
64-17-5	TLV-STEL 1000ppm	REL-TWA 1000ppm	PEL-TWA 1000ppm PEL-TWA 1900mg/m <sup>3</sup>
56-81-5	N/A	N/A	PEL-TWA 15mg/m <sup>3</sup> PEL-TWA 5mg/m <sup>3</sup>
7732-18-5	N/A	N/A	N/A

### Engineering control :

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

### Personal Protective Equipment

**Respiratory protection:** Wear suitable protective mask in order to reduce the respiratory system. A large number of leakages, wear chemical protective clothing, including self-contained breathing apparatus.

**Hand Protection:** Wear appropriate protective gloves to reduce skin contact.

**Eyes Protection:** Wear safety goggles or eye protection combined with respiratory protection.

**Skin and Body Protection:** Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

<b>Colour:</b>	White.
<b>Physical State:</b>	Solid (Contains colorless transparent liquid).
<b>Odour:</b>	Not available.
<b>Odour threshold:</b>	Not available.
<b>pH:</b>	Not available.
<b>Melting point/freezing point:</b>	Not available.
<b>Initial boiling point and boiling range:</b>	>35°C (liquid).
<b>Flash Point:</b>	18.0°C(Closed cup) (liquid).
<b>Evaporation rate:</b>	Not available.





Flammability (solid, gas):	Not available.
Explosion Limits (vol% in air):	Not available.
Vapour pressure, kPa at 20°C:	Not available.
Vapor density:	Not available.
Density/Relative density (water = 1):	Not available.
Solubility(ies):	Easily soluble in water (liquid).
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	Not available.

## Section 10 - Stability and Reactivity

**Chemical Stability:** Stable.

**Possibility of hazardous reaction:** HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air.

**Conditions to Avoid:** Heat, sparks or flames

**Incompatibilities Materials:** No data available.

**Hazardous Decomposition Products:** Carbon oxide.

## Section 11 - Toxicological Information

### Acute Toxicity:

CAS No.	LC50/LD50
64-17-5	LD50 Rat (oral): 9.9g/kg
56-81-5	LD50 Rat (oral): 5.57g/kg
7732-18-5	No data available.

**Skin corrosion/irritation:** No data available.

**Serious eye damage/irritation:** No data available.

**Respiratory or Skin sensitization:** No data available.

**Germ Cell mutagenicity:** No data available.

**Carcinogenicity:** No data available.

**Reproductive toxicity:** No data available.

**Specific target organ toxicity-Single exposure:** No data available.

**Specific target organ toxicity-Repeated exposure:** No data available.



**Aspiration hazard:** No data available.

**Information on the likely routes of exposure:** No data available.

**Eye:** No data available.

**Skin:** No data available.

**Ingestion:** No data available.

**Inhalation:** No data available.

## Section 12 - Ecological Information

**CAS# 64-17-5**

**Ecological Toxicity:** No data available.

**Persistence and degradability:** No data available.

**Bioaccumulative Potential:** Bioconcentration in aquatic organisms is low. (BCF:3,  $K_{ow}$ :-0.31)

**Mobility in Soil:** Expected to have very high mobility in soil. ( $K_{oc}$ : 2.75)

**Other adverse effects:** No data available.

**CAS# 56-81-5**

**Ecological Toxicity:** No data available.

**Persistence and degradability:** No data available.

**Bioaccumulative Potential:** Bioconcentration in aquatic organisms is low. (BCF: 3,  $K_{ow}$ : -1.76)

**Mobility in Soil:** Expected to have very high mobility in soil. ( $K_{oc}$ : 1)

**Other adverse effects:** No data available.

## Section 13 - Disposal Considerations

**Waste treatment methods**

**Recommendation:**


Consult state, local or national regulations to ensure proper disposal.

**Uncleaned packaging**

**Recommendation:** Disposal must be made according to official regulations.

## Section 14 - Transport Information



<b>UN Number</b>	
IATA	UN3175
IMDG	UN3175
<b>UN Proper shipping name</b>	
IATA	Solids containing flammable liquid, n.o.s.(ALCOHOL)
IMDG	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (ALCOHOL)
<b>Transport hazard class(es)</b>	
IATA	4.1
IMDG	4.1
<b>Packing group</b>	
IATA	II
IMDG	II
<b>Packaging Sign</b>	
IATA	
IMDG	
<b>Environmental hazards</b>	
Marine pollutant:	No
<b>Special precautions for user</b>	No information available.

Transport Fashion: By air, by sea.

## Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDL	EINECS/ ELINCS/ NLP
64-17-5	Listed	Listed	Listed DSL	Listed
56-81-5	Listed	Listed	Listed DSL	Listed
7732-18-5	Listed	Listed	Listed DSL	Listed

## Section 16 - Other Information

Issue Date: 2020-03-27

Issue Department: Technical department

Modification record:

Notice to reader



Pony Testing International Group

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-short time exposure limit);

PC-TWA: (Permissible concentration-time weighted average);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

IARC: (International Agency for Research on Cancer);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

NOEC: (No observed effect concentration);

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

IATA: (International Air Transport Association);

IMDG: (International Maritime Dangerous Goods);

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations);

TOC: (Total Organic Carbon);

TSCA: (Toxic Substances Control Act of USA);

DSL: (the Domestic Substances List of Canada);

NDSL: (the Non-domestic Substances List of Canada)



扫微信二维码  
关注谱尼测试



Pony Testing International Group

Report No.: MOIQCRUT18925716 Date: 2020-03-27 Page 11 of 11

\*\*\*End of report\*\*\*

东莞市御品坊日用品有限公司

**PONY 谱尼测试**  
Pony Testing International Group

Hotline 400-819-5688 www.ponytest.com

Pony Testing International Group Shenzhen Co., Ltd.  
Address: 1/F., Building A2, Jun Feng ZhongCheng ZhiZao  
Innovation Park, HePing Peace Community, Fuhai Road, BaoAn  
District, Shenzhen, Guangdong, China

北京实验室: (010) 83055000	武汉实验室: (027) 83997127	哈尔滨实验室: (0451)58627755	温州实验室: (0577)88271060
上海实验室: (021) 64851999	长春实验室: (0431)85150908	石家庄实验室: (0311)85376660	合肥实验室: (0551)63843474
青岛实验室: (0532)88706866	大连实验室: (0411)87336618	乌鲁木齐实验室: (0991) 6684186	广州实验室: (020) 89224310
深圳实验室: (0755)26050909	郑州实验室: (0371)69350670	呼和浩特实验室: (0471) 3450025	厦门实验室: (0592)5568048
天津实验室: (022) 23607888	西安实验室: (029) 89608785	杭州实验室: (0571)85806807	成都实验室: (028) 87702708
苏州实验室: (0512)62997900	太原实验室: (0351) 7555762	宁波实验室: (0574)87977185	